Exhibit 1-Continued

18-JUN-1999

Eukaryota; Animalia; Vertebrata; Mammalia; Eutheria; Primates.
REFERENCE 1 (bases 1 to 1617)
AUTHORS Upadhyaya,A.P., Lee,F.H. and Zeleng,J.
TITLE Identification of a general transcription factor TFIIAalpha/beta homolog selectively expressed in testis
JOURNAL J. Biol. Chem. 274 (25), 18040-18048 (1999)
MEDLINE 99292779
REFERENCE 2 (bases 1 to 1617)
AUTHORS Upadhyaya,A.P. and Zeleng,J.
TITLE Direct Submission
JOURNAL Submitted (19-NOV-1998) Molecular and Cell Biology, The University of Texas at Dallas, 2601 N. Floyd Rd., Richardson, TX 75080, USA
FEATURES Location/Qualifiers
source 1..1617
/organism="Homo sapiens"
/db_xref="taxon:9606"
/tissue_type="testis"
gene 1..1617
/gene="ALF"
CDS 16..1452
/gene="ALF"
/codon_start=1
/product="TFIIA large subunit isoform ALF"
/protein_id="AAD39634.1"
/db_xref="GI:5091688"
/translation="MACLNPVPKLYRSVIEDVIEGVRNLFAEEGIEEQVLKDLKQLWE
TKVLQSKATEDFFRNSIQSPLFTLQLPHSLHQTLQSSTASLVIPAGRTLPSFTTAELG
TSNSSANFTFPGYPIHVPAGVTLQTVSGHLYKVNVPIMVTETSGRAGILQHPIQQVFQ
QLGQPSVLQTSVPQLNPWSLQATTEKSQRIETVLQQPAILPSGPVDRKHLENATSDIL
VSPGNEHKIVPEALLCHQESSHYISLPGVVFSPQVSQTNSDVESVLSGSASMAQNLHD
ESLSTSPHGALHQHVTPIQLHILKNRMYGCDSVKQPRNIEFPSNIPVSEKDSNSQVDL
SIRVTDDDIGEIIQVDGSGDTSSNEEIGSIRDADENEFLGNIDGGDLKVPEEEADSIS
NEDSATNSSDNSDPYNIVEEDFLNSTDDVSEDVPDLFVTDNVIVCQYDKIHRSKNK
NKFVLKIGVMPGHRDIVFAKAIGHAEW"
BASE COUNT 519 a 305 c 343 g 450 t
ORIGIN

Query Match 100.0 ; Score 1617; DB 39; Length 1617;
Best Local Similarity 100.0 ; Pred. No. 0;
Matches 1617; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 ATGGCCTGCCTCAACCCTGTGCCCAAGCTCTACCGCTCCGTCATCGAGGACGTCATCGAG 60

Db 1 ATGGCCTGCCTCAACCCTGTGCCCAAGCTCTACCGCTCCGTCATCGAGGACGTCATCGAG 60

Qy 61 GGCGTGCGCAACCTCTTCGCCGAGGAGGGCATCGAGGAGCAGGTGCTCAAGGACCTCAAG 120

Db 61 GGCGTGCGCAACCTCTTCGCCGAGGAGGGCATCGAGGAGCAGGTGCTCAAGGACCTCAAG 120

Qy 121 CAGCTGTGGGAGACCAAGGTGCTGCAGAGCAAGGCCACCGAGGACTTCTTCCGCAACTCC 180

Db 121 CAGCTGTGGGAGACCAAGGTGCTGCAGAGCAAGGCCACCGAGGACTTCTTCCGCAACTCC 180

Qy 181 ATCCAGTCCCCGCTCTTCACCCTGCAGCTGCCCCACTCCCTGCACCAGACCCTGCAGAGC 240

Db 181 ATCCAGTCCCCGCTCTTCACCCTGCAGCTGCCCCACTCCCTGCACCAGACCCTGCAGAGC 240



```
/protein_id="AAD39617.1"
/db_xref="GI:5031669"
/translation="MCSTNFGKWVTFDDDPAVQSSQKSKNFPLENQGVCRPNGLKLNF
FGLREFFSGSSSTSSTFLSSHTVTFYFSPGHISNSPLSTPTKDFIGFSIIPKACTHVL
YFIPESSSICPLAISGGESSLLPTRFTTLSHALLFSDHSCTHPTIKVGLPLEVNFQQA
ENLSHQ[illegible]LFQE[illegible]HRELDAECHHFKKLE[illegible]HPTLLFFGSKKMFSSENKEMI[illegible]
KSLNKCSLPYICEKLFHLQSAENQDSLRSLSMHCLCAEENASSFVPHTLFRSQPKSGW
SFMLRIPEKKNMMSSRQWGPIFLKVLPGGILQMYYEQGLEKPFKEIQLDPYCRLSEPK
VENFSVAGKIHTVKIEHVSYTEKRKYHSKTEVVHEPDIEQMLKLGSTSYHDFLDFLTT
VEEFLMKLPAVSKHKKNYEEQEISLEIVDNFWGKVTKEGKFVESAVITQIYCLCFVNG
NLECFLTLNDLELPKRDESYYEKDSEKKGIDILDYHFHKCVNVQEFEQSRIIKFVPLD
ACRFELMRFKTLYNGDNLPFSLKSVVVVQGAYVELQAFVNMASLAQRSSYAGSLRSCD
NIRIHFPVPSQWIKALWTMNLQRQKSLKAKMNRRACLGSLQELESEPVIQVTVGSAKY
ESAYQAVVWKIDRLPDKNSSLDHPHCLSYKLELGSDQEIPSDWYPFATVQFSVPDTCA
SRTEVRSLGVESDVQPQKHVQQRACYNIQPKLYRSVIEDVIEGVRNLFAEEGIEEQVL
KDLKQLWETKVLQSKATEDFFRNSIQSHLPTLQIPHSLHQTLQSSTASLVIPAGRTLP
SFTTAELGTSNSSANFTFPGYPIHVPAGVTLQTVSGHLYKVNVPIMVTETSGRAGILQ
HFIQQVFQQLGQPSVIQTSVPQLNPWSLQATTEKSQRIETVLQQPAILPSGPVDRKHL
ENATSDILVSPGNEHKIVPEALLCHQESSHYISLPGVVFSPQVSQTNSDVESVLSGSA
SMAQNLHDESLSTSPHGALHQHVTDIQLHLLKNRMYGCDSVKQPRNIEEPSNIPVSEK
DSNSQVDLSIRVTDDDIGEIIQVDGSGDTSSNEEIGSTRDADENEFLGNIDGGDLKVP
EEEADSISNEDSATNSSDNEDPQVNIVEEDPLNSGDDVSEQDVPDLFDTDNVIVCQYD
KIHRSKNKWKFYLKDGVMCFGGRDYVFAKAIGDAEW"
BASE COUNT     1149 a    802 c    811 g   1062 t
ORIGIN

  Query Match             97.6%;  Score 1562.2;  DB 39;  Length 3824;
  Best Local Similarity   99.5%;  Pred. No. 0;
  Matches 1587;  Conservative    0;  Mismatches    8;  Indels    0;  Gaps    0;

Qy       19 gcctgcctcaacccggtgcctaaactctacagatctgtaattgaagatgtaattgaagga 78
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     2230 GCTTGCTACAACATCCAGCCTAAACTCTACAGATCTGTAATTGAAGATGTAATTGAAGGA 2289

Qy       79 gttcggaatctatttgctgaagaaggtatagaggaacaagttttaaaagacttgaagcag 138
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     2290 GTTCGGAATCTATTTGCTGAAGAAGGTATAGAGGAACAAGTTTTAAAAGACTTGAAGCAG 2349

Qy      139 ctctgggaaaccaaggttttgcagtctaaagcaacagaagacttcttcagaaatagcatc 198
            ||||||||||||||||||||||||||||||||||||||||||||||||||||||||||||
Db     2350 CTCTGGGAAACCAAGGTTTTGCAGTCTAAAGCAACAGAAGACTTCTTCAGAAATAGCATC 2409

Qy      [illegible]

Db      [illegible]

Qy      [illegible]

Db     2470 ACAGCATCATTAGTTATTCTTGTGTAAAACTCTTTCAACTTTTATCACAGCAGAACTG 2529

Qy      [illegible]

Db      [illegible]
```





RESULT 3
AC023827/c
LOCUS AC023827 151767 bp DNA HTG 09-MAR-2000
DEFINITION Homo sapiens chromosome 16 clone RP11-42I10, WORKING DRAFT SEQUENCE, 3 unordered pieces.
ACCESSION AC023827
VERSION AC023827.2 GI:7211923
KEYWORDS HTG; HTGS_PHASE1; HTGS_DRAFT.
SOURCE human.
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1 (bases 1 to 151767)
AUTHORS DOE Joint Genome Institute.
TITLE Sequencing of Human Chromosome 16
JOURNAL Unpublished
REFERENCE 2 (bases 1 to 151767)
AUTHORS DOE Joint Genome Institute.
TITLE Direct Submission
JOURNAL Submitted (18-FEB-2000) Production Sequencing Facility, DOE Joint Genome Institute, 2800 Mitchell Drive, Walnut Creek, CA 94598, USA
COMMENT On Mar 9, 2000 this sequence version replaced gi:6997147.
-------Genome Center
Center: Joint Genome Institute
Center Code: JGI
[illegible]
-------[illegible]
[illegible]
[illegible]
[illegible]
Estimated insert size: [illegible]; sum-of-contigs estimation
Estimated insert size: [illegible]; agarose-fp estimation
Quality coverage: 4.30x in Q20 bases; agarose-fp estimation
[illegible]
-------.
[illegible]

```
            .                       gap of unknown length
            .    [illegible]   [illegible]: contig of [illegible] bp in length
            .                       gap of unknown length
            .    [illegible]   [illegible]: contig of [illegible] bp in length.
FEATURES             Location/Qualifiers
     source          1..151767
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /chromosome="16"
                     /clone="RP11-4[illegible]"
BASE COUNT    [illegible] a [illegible] c [illegible] g 4446[illegible] t      [illegible] others
ORIGIN

  Query Match             10.8%;  Score 174.2;  DB 56;  Length 151767;
  Best Local Similarity   93.2%;  Pred. No. 9.1e-28;
  Matches  193;  Conservative    0;  Mismatches   13;  Indels    1;  Gaps    1;

Qy   1352 gaagcaagaacaaatggaaattctatttgaaagatggtgttatgtgttttggagggagag 1411
            ||       ||       |||     ||   ||||||||||||| |||||||||
Db  80661 GAAGCAAGAACAAATGGAAATTCTATTTGAAAGATGATGTTATGTGTTTTGGAGGGAGAG 80602

Qy   1412 actatgtatttgcaaaagccattggtgatgcagagtggtaaaccttgtgagctcagtaca 1471
          |||    ||||   ||             ||  ||||| | ||| ||||||||||||||||
Db  80601 ACTATGTATTTGCAAAAGCCATTGGTGATGCAGAGTGGTAAATCTTGTGAGCTCAGTACA 80542

Qy   1472 tctattttgtgaacatcagttggactatattgcatattgtg-aattcattttattttga 1530
          ||  |||||| |||||||    | |||||||||||||| ||| || |||||||||||| |
Db  80541 TCAGTTTTGTAAACATCAGTCAGACTATATTGCATATCGTGAAACTCATTTTTATTTTAA 80482

Qy   1531 atatagtccagcacagagctgttcaaa 1557
          |||  || ||    |||| || |   |
Db  80481 ATATAGTCCAGTACAGAGCTGCTTTAA 80455
```

04-FEB-1999

```
            Primates; Catarrhini; Hominidae; Homo .
REFERENCE   1  (bases 1 to 1199)
  AUTHORS   Handa,H.
  TITLE     Direct Submission
  JOURNAL   Submitted (13-APR-1993) to the DDBJ/EMBL/GenBank databases. Hiroshi
            Handa, Tokyo Institute of Technology, Faculty of Bioscience and
            Biotechnology; 4259 Nagatsuta-cho, Midori-ku, Yokohama, Kanagawa
            227-8501, Japan (Tel:045-922-1111, Fax:045-923-0360)
REFERENCE   2  (bases 1 to 1199)
  AUTHORS   Watanabe,H., Oguri,K., Wada,T., Imai,T., Shirasya,T. and Handa,H.
  TITLE     Isolation of two cDNAs that encode the large subunit of human
            transcription factor IIA
  JOURNAL   Unpublished (1993)
FEATURES             Location/Qualifiers
     source          1. .1199
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /cell_line="HeLa-S3"
                     /clone_lib="lambda gt10"
     CDS             172. .1185
                     /note="(seq:85. .1199) is same as in D14887; minor
                     translational start"
                     /codon_start=1
                     /product="TFIIA-37"
                     /protein_id="BAA03603.1"
                     /db_xref="GI:727195"
                     /translation="MELKTLWENKLMQSRAVTGFHSEEQQLLLQVQQQHQPQQQQHHH
                     HHHHQQAQPQQTVPQQAQTQQVLIPASQQATAPQVIVPDSKLIQHMNASNMSAAATAA
                     TLALPAGVTPVQQILTNSGQLIQVVRAANGAQYIFQPQQSVVLQQQVIPQMQPGGVQA
                     PVIQQVLAPLPGGISPQTGVIIQPQQILFTGNKTQVIPTTVAAPTPAQAQITATGQQQ
                     PQAQPAQTQAPLVLQYDGTGNTSSHEDEDEEEDYLDDEEEDKEKDGAEDGQVEEEPLN
                     SEDDVSDEEGQELFDTENVVVCQYDKIHRSKNKWKFHLKDGIMNLNGRDYIFSKAIGD
                     AEW"
BASE COUNT      382 a    269 c    278 g    270 t
ORIGIN


  Query Match              8.2 ;  Score 132.4;  DB 9;  Length 1199;
  Best Local Similarity   66.4 ;  Pred. No. 1.3e-13;
  Matches  191;  Conservative    0;  Mismatches   96;  Indels    0;  Gaps    0;

Qy   111 AAAAAAAAAAATAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA 170

Db     1 AAAAAAAAAAATAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA  60

Qy   171 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA 230

Db    61 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA 120

Qy   231 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA 290

Db   121 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA 180

Qy   291 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA 350

Db   181 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA 240

Qy   351 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA 410

Db   241 AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA 300
```

RESULT 6
HUMTFIIAB
LOCUS HUMTFIIAB 1549 bp mRNA PRI 04-FEB-1999
DEFINITION Human mRNA for TFIIA-42, complete cds.
ACCESSION D14887
VERSION D14887.1 GI:727196
KEYWORDS TFIIA-42; transcription factor.
SOURCE Homo sapiens cell_line:HeLa-S3 cDNA to mRNA, clone_lib:lambda gt10.
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Vertebrata; Mammalia; Eutheria;
Primates; Catarrhini; Hominidae; Homo.
REFERENCE 1 (bases 1 to 1549)
AUTHORS Handa,H.
TITLE Direct Submission
JOURNAL Submitted (05-APR-1993) to the DDBJ/EMBL/GenBank databases. Hiroshi
Handa, Tokyo Institute of Technology, Faculty of Bioscience and
Biotechnology; 4259 Nagatsuta-cho, Midori-ku, Yokohama, Kanagawa
226-8501, Japan (Tel:045-922-1111, Fax:045-923-0380)
REFERENCE 2 (bases 355 to 1549)
AUTHORS Watanabe,H., Ogiri,K., Wada,T., Imai,T., Shiroya,T. and Handa,H.
TITLE Isolation of two cDNAs that encode the large subunit of human
transcription factor IIA
JOURNAL Unpublished (1993)
FEATURES Location/Qualifiers
source 1. .1549
/organism="Homo sapiens"
/db_xref="taxon:9606"
/cell_line="HeLa-S3"
/clone_lib="lambda gt10"
CDS 403. .1335
/note="(seq;435. .1549) is same as in D14886; major
translational start"
/codon_start=1
/product="'TFIIA-42'"
/protein_id="BAA03604.1"
/db_xref="GI:727197"
/translation="MANSANINTVPKLYRSVIEDVINDVRDIFLDDGVDEQVLMELKT
LWENKLMQSRAVDGFHSEEQQLLLQVQQQHQPQQQQHHHHHHHQQAQPQQTVPQQAQT
QQVLIPASQQATAPQVIVPDSKLIQHMNASNMSAAATAATLALPAGVTPVQQILTNSG
QLLQVVFAANGAQYIFQPQQSVVLQQQVIPQMQPGGVQAFVIQQVLAPLPGGISPQTG
VIIQPQQILFTGNKIQVIPTTVAAPTPAQAQLTATGQQQFQAQSAQTQAPLVLQVDGT
GDTSSEEDEDEEEDYDDDEEEDKEKDGAEDGQVEEEPLNSEDDVSDEEGQELFDTENV
[illegible]"
BASE [illegible]
ORIGIN

Query Match [illegible] ; Score [illegible]; DB 4; Length 1549;
Best Local Similarity [illegible] ; Pred. No. 1.2e-14;
Matches 19 ; Conservative 0; Mismatches 90; Indels 0; Gaps 0;

Qy [illegible]

Db [illegible]

```
Db    1371 GAGGAAGGACAGGAACTCTTTGACACAGAAAATGTTGTTGTATGCCAATATGATAAGATA 1430

Qy    1348 catcgaagcaagaacaaatggaaattctatttgaaagatggtgttatgtgttttggaggg 1407
             |    | |      ||||||||||||   || |  ||  |||   |.|||  | ||    ||
Db    1431 CACAGAAGTAAAAACAAATGGAAATTTCATCTCAAGGATGGCATTATGAATCTTAATGGA 1490

Qy    1408 agagactatgtatttgcaaaagccattggtgatgcagagtggtaaa 1453
           ||||| ||| ||||| | ||||||||||| ||||||| |||| ||
Db    1491 AGAGATTATATATTTTCCAAAGCCATTGGAGATGCAGAATGGTGAA 1536


RESULT    7
HSTFIIA
LOCUS       HSTFIIA      1131 bp    mRNA            PRI       21-FEB-1994
DEFINITION  H.sapiens mRNA for TFIIA.
ACCESSION   X77225
VERSION     X77225.1  GI:452271
KEYWORDS    TFIIA gene.
SOURCE      human.
  ORGANISM  Homo sapiens
            Eukaryota; Metazoa; Chordata; Vertebrata; Mammalia; Eutheria;
            Primates; Catarrhini; Hominidae; Homo.
REFERENCE   1  (bases 1 to 1131)
  AUTHORS   DeJong,J. and Roeder,R.G.
  TITLE     A single cDNA, hTFIIA/alpha, encodes both the p35 and p19 subunits
            of human TFIIA
  JOURNAL   Genes Dev. 7 (11), 2220-2234 (1993)
  MEDLINE   94040742
REFERENCE   2  (bases 1 to 1131)
  AUTHORS   De Jong,J.L.
  TITLE     Direct Submission
  JOURNAL   Submitted (19-NOV-1993) J.L. De Jong, The Rockefeller University,
            1230 York Avenue, New York NY 10021, USA
FEATURES             Location/Qualifiers
     source          1..1131
                     /organism="Homo sapiens"
                     /db_xref="taxon:9606"
                     /clone_lib="NAMALWA, BJA-B"
     gene            1..1131
                     /gene="TFIIA"
     CDS             1..1131
                     /gene="TFIIA"
                     /codon_start=1
                     [illegible]
                     [illegible]
                     [illegible]
                     [illegible]
                     /translation="MANSANTNTVPKLYRSVIE[illegible]
                     [illegible]
                     [illegible]
                     [illegible]
                     [illegible]
                     [illegible]
                     [illegible]"
BASE COUNT  [illegible]
```